



## ADDENDUM No. 1 TO ORIGINAL INVITATION TO BID

**Date:** April 16, 2019

**Bid No.:** 5561-2020 Aluminum Walkway Covers District Wide

**Bid Opening:** April 24, 2019 @ 2:00 P.M. EST *(Addendum does not change the opening date of the bid)*

*This addendum is being issued to make the following changes, corrections, clarifications and additions to the bidding document. The information in this addendum modifies and changes the original bidding document and takes precedence over the original document. Receipt of this addendum shall be acknowledged by the bidder signing and dating below and submitting this document with your bid proposal form. Failure to acknowledge this addendum may preclude consideration of the bid proposal for award.*

---

### Revises:

#### Page 14, Part 2 – Products, Section B

Internal Drainage: Waterflow shall be directed from deck to beams and columns, for discharge out weep holes with diverter plate.

#### Page 14, Part 2 - Products, Section D. 1

Roof Deck: Deck shall be extruded sections of minimum **0.060"** thickness. It shall interlock into rigid joint connection, which is self-flashing with no exposed ribs on underside.

### Additional Requirement:

Contractor is required to provide their own signed and sealed engineered drawings, and is responsible for footers, excavation and placement of concrete as well as grouting.

**TO QUALIFY YOUR BID, OF WHICH THIS ADDENDUM BECOMES A PART,  
RECEIPT OF ADDENDUM MUST BE ACKNOWLEDGED AND RETURNED WITH YOUR BID.**

---

VENDOR NAME

VENDOR ADDRESS

---

NAME

TITLE

---

SIGNATURE